



Another timeless classic from Legrand... now even easier to install.






THE NILOÉ RANGE IS CHANGING...

And it's even easier to install!








Finishes added without the need for tools.


Mechanisms take up less space, making them easier to install and adjust in the box.







MULTI-GANG




Due to the interlocking grid system, multi-gang installation is quick and easy.



Automatic terminals on the control mechanisms. Quick and easy installation. Wide release keys for easier manipulation.



Controls can be converted to illuminated function by simply adding an LED. Light visible through translucent standard cover plates.




Rigid insulated plastic grid. New claws for greater tensile resistance.

IP2X protection for totally safe installation.



Sockets ready to connect: screw terminals supplied open for quicker installation.



Safety shutter system on all sockets.



THE NILOÉ RANGE IS CHANGING...

We have an offer to suit each of your projects!

RECHARGING IS SIMPLE, EASY AND ACCESSIBLE



2P+E socket with USB charger, ideal for replacing an existing socket.



Dual charger: 1 micro USB with support and 1 USB



Dual USB charger



NOT FORGETTING....



INDIVIDUALLY-PACKED PRODUCTS

Its flowpack packaging protects the product throughout the delivery process, right up until it is attached to the wall.



PROTECTIVE COVERS

(OPTIONAL)

Perfectly integrated with the device to protect the product from dust or paint during fixing, or even damage that might occur after installation.



COMPACT SOLUTIONS FOR ENHANCED FUNCTIONALITY IN LESS SPACE







RJ 11 + RJ 45 Cat. 5e



Two-way switch + pushbutton



3-gang switch



Roller blind control

MANAGEMENT OF ALL LIGHT SOURCES RESULTS IN GREATER ENERGY SAVINGS



Dimmei



Automatic switch

THE NILOÉ RANGE IS CHANGING...


A timeless range, with 10 plate colours available...

MIX AND MATCH COLOURS!











□ legrand

World Headquarters

and International Department 87045 Limoges Cedex - France :+ 33 (0) 5 55 06 87 87

Fax: + 33 (0) 5 55 06 74 55